

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11)

EP 1 172 773 A1

(12)

EUROPEAN PATENT APPLICATION
published in accordance with Art. 158(3) EPC

(43) Date of publication:

16.01.2002 Bulletin 2002/03

(21) Application number: **00920753.1**

(22) Date of filing: **19.04.2000**

(51) Int Cl.⁷: **G07D 7/04, G07D 7/12,
G06K 7/08, G06K 7/12,
G06K 19/12**

(86) International application number:
PCT/ES00/00147

(87) International publication number:
WO 00/63851 (26.10.2000 Gazette 2000/43)

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: **20.04.1999 ES 9900809**

(71) Applicant: **FABRICA NACIONAL DE MONEDA Y
TIMBRE
28009 Madrid (ES)**

(72) Inventors:

- **GARCIA CATALAN, Alfonso-Tomás
E-28009 Madrid (ES)**
- **MERCHAN PALACIOS, Miguel
E-28009 Madrid (ES)**
- **DAVO FERRO, Rafael
E-28009 Madrid (ES)**
- **TEODORO VIDAL, Juan-Vicente
E-28009 Madrid (ES)**

(74) Representative: **Carpintero Lopez, Francisco
HERRERO & ASOCIADOS, S.L. Alcalá, 35
28014 Madrid (ES)**

(54) APPARATUS FOR VALIDATING SECURITY DOCUMENTS

(57) The invention relates to an apparatus for validating all types of security documents such as bank notes, checks or other types of securities. To this end, the apparatus simultaneously uses an infrared ray-sensitive optical sensor, a visible light-sensitive sensor and a magnetic sensor detecting the presence of a magnetic

thread and reading the code thereof. The information provided by each sensor is compared with the information supplied by the other sensors in such a way that when the optical sensor detects by opacity the presence of the security thread, the magnetic sensor recognizes the beginning of the code to read said code.

EP 1 172 773 A1

Description**OBJECT OF THE INVENTION**

[0001] The present invention discloses an identifier for all types of security documents, particularly designed for paper money, which is capable of determining the authenticity of the document as well as its denomination and estimating its deterioration.

[0002] The object of the identifier is to maximise the reliability of the validation without a significant increase in the cost of the identification device.

BACKGROUND OF THE INVENTION

[0003] Identifiers which accept documents are well known, using various methods for determining their authenticity, analysing a certain property, mark or security element which is provided in the document.

[0004] In this manner, several methods are used which employ optical means, magnetic means, physical properties of the paper, etc., among which is known the use of ink transparent to infra-red light, watermarks, colour of printed ink, inclusion of a magnetic safety filament, etc.

[0005] Known security document identifiers, depending on the specific application for which they are meant, conventionally rely on one of these validation methods, reading the security element and later processing the data obtained by comparison to a model register, in order to determine their authenticity. However, no device is known which relies on simultaneous combination of several of these validation methods in the manner performed by the present one.

DESCRIPTION OF THE INVENTION

[0006] The security document identifier of which this invention consists relies on simultaneous use of several types of sensors, combining the information they provide to increase the efficiency of the validation.

[0007] This device may be implemented with a minimum number of components and is capable of transmitting the information it obtains to other equipment, and may be used in automatic vending machines of any product or operate independently.

PREFERRED EMBODIMENT OF THE INVENTION

[0008] The security document identifier carries out validation of the document by means of a multi-sensor system which simultaneously inspects the document with an infra-red and a visible light optical sensors as well as a magnetic sensor which, in addition to detecting its magnetism, determines the magnetic code of the security filament.

[0009] The invention incorporates a reduced number of sensors to analyse the physical characteristics of the

document, in order to determine properties such as the start of the document by establishing a reference point, its length, authenticity of the paper, presence and code of watermarks, presence and colour of printed lines and security lines, and detecting the existence of the magnetic security filament code.

[0010] The identifier is capable of combining the information provided by these sensors not only to determine the validity of the document but also to determine its denomination and to estimate its deterioration.

[0011] Handling of the documents or bills concerned is performed by conventional means which using friction insert and extract the document. Likewise, it is provided with the required power sources which are conveniently located so that they do not affect the readings of the sensors.

[0012] In this manner, and more specifically, the novelty of the document identifier is that it may detect at least and simultaneously the bar-code watermarks of the document, the pairs of infra-red transparent and non-transparent inks (TIR, NO-TIR) and the magnetic code of the security filament inserted in the paper.

[0013] The identifier device decodes the information which these three types of sensors provide and combines it to determine the authenticity of the document to be validated. The information provided by each sensor is monitored, so that when the optical sensor detects the presence of the security filament by its opacity, the magnetic sensor identifies the start of the code to read it.

[0014] In this manner the reliability of the validation is increased, as a single security element is inspected repeatedly by at least two different types of sensor, without this implying an increased production cost of the identifier.

[0015] This increased reliability is not quantitatively proportional to the number of sensors, i.e., reliability is not doubled by the use of two sensors, but rather due to the use of more than one sensor the inspection no longer depends on a comparison of samples and model patterns. Indeed, aside from employing models to know the shape and intensity which the signals from the various sensors must have, in order to indicate the validity of the document inspected, these signals are compared to each other.

[0016] By means of this intrinsic comparison mechanism, one sensor, preferably the optical sensor, acts as a lock, and signals are processed giving rise to an abstract signal which is correlated to model signals. If a given threshold is exceeded, the signal of the lock sensor is compared to the signals of the remaining sensors, which act as keys. The software logic provided uses an intersection operator to determine coincidence between the signals of the document itself, and by means of a suitable logic circuit admits only documents for which the key signals from different sensors, such as the magnetic sensor, agree with the lock signal of the first sensor. Thus, the inspection is free of mistakes caused by direct comparison to a single model due to aging in sin-

gle-sensor identifiers.

Claims

1. Security document identifier which, in order to increase the reliability of the document validation process, is **characterised in that** in the document validation it employs as a minimum and simultaneously an infra-red sensitive optical sensor, a visible light sensor and a magnetic sensor, so that the identifier is capable of simultaneously detecting respectively the bar-code watermarks, infra-red transparent and non-transparent ink pairs (TIR, NO-TIR) and the presence and magnetic code of the security filament present in the document to be validated, combining the information provided by these two types of sensor and comparing them with each other to determine the validity of the document.
2. Security document identifier, as claimed in claim 1, **characterised in that** it is provided with an optical sensor which detects and locates the presence of the document security filament by its opacity, and with a magnetic sensor which identifies the start of the code in order to read it.
3. Security document identifier, as claimed in above claims, **characterised in that** it is provided with logic or software such that it matches signals arriving from the different sensors so that one signal acts as a lock and the rest as keys, so that when a key signal matches the lock signal a logical circuit opens which allows to recognise the document as authentic or valid, so that the acceptance process is independent of the state of the samples, as it performs a comparison of the same document and not a direct comparison with other model documents.
4. Security document identifier, as claimed in above claims, **characterised in that** the number of key signals is greater than one, with the suitable logic then employed by the software using an intersection operator for document acceptance determining the consistency of several signals with that of the sensor acting as a lock, thus minimising the risk of acceptance errors.
5. Security document identifier, as claimed in above claims, **characterised in that** the optical sensor acts as a lock, providing an intrinsic factor for acceptance of signals arriving from the other sensors.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/ES 00/00147

A. CLASSIFICATION OF SUBJECT MATTER		
IPC 7 : G07 D 7/04, 7/12, G 06 K 7/08, 7/12, 19/12		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC 7 : G07 D, G06 K		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
EPODOC, WIPL, PAJ, CIBEPAT		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4 574 190 A (NISHIMURA) 04 March 1986 (04.03.86) column 3, line 43 – column 5, line 46; figures 1-5	1-5
Y	US 5 739 517 A (HOSHINO et al) 14 April 1998 (14.04.98) column 5, line 26 – column 6, line 24; column 7, lines 12-45; figures 1, 2, 5, 7	1-5
A	Database PAJ in EPOQUE, JP 7 085 229 A (TAMURA ELECTRIC WORKS) 31 March 1995 (31.03.95) abstract; figure	1,2
A	US 5 222 584 A (ZOUZOULAS) A 29 June 1993 (29.06.93) column 4, line 50 – column 5, line 46; figures 3-5	1,2
A	US 5 495 929 A (BATALIANETS et al) 05 March 1996 (05.03.96) column 3, line 61 – column 4, line 22; column 5, line 17 – column 6, line 10; column 6, lines 50-63; figures 1-3	1,2
<input type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 30 June 2000 (30.06.00)		Date of mailing of the international search report 25 July 2000 (25.07.00)
Name and mailing address of the ISA/ SPTO		Authorized officer Telephone No.

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT
 Information on patent family members

International Application No

PCT/ES00/00147

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4 574 190	04.03.1986	JP 58 106 676 JP 58 119 900 GB 2 114 795 KR 8800755	25.06.1983 16.07.1983 24.08.1983 04.05.1988
US 5 739 517	14.04.1998	JP 8 279 016	22.10.1996
JP 7 085 229	31.03.1995	NONE	
US 5 222 584	29.06.1993	WO 9218953	29.10.1992
US 5 495 929	05.03.1996	NONE	

Form PCT/ISA/210 (patent family annex) (July 1992)